

Now in stock Metal-Disain OÜ

NAME	kg. / 1 pcs.
Press welded panels mild steel	
PW-RAW panel 16x38/30x3 6100x1000 mm, steel S235	264 kg
PW-RAW panel 16x38/30x3 6100x1000 mm SR4, steel S235	264 kg
PW-RAW panel 16x76/25x3 6100x1000 mm, steel S235	230 kg
PW-RAW panel 16x76/25x3 6100x1000 mm SR4, steel S235	230 kg
PW-RAW panel 16x76/30x2 6100x1000 mm, steel S235	180 kg
PW-RAW panel 16x76/30x2 6100x1000 mm SR4, steel S235	180 kg
PW-RAW panel 16x76/30x3 6100x1000 mm, steel S235	250 kg
PW-RAW panel 16x76/30x3 6100x1000 mm SR4, steel S235	250 kg
PW-RAW panel 21x76/30x2 6100x1000 mm, steel S235	142 kg
PW-RAW panel 21x76/30x2 6100x1000 mm SR4, steel S235	142 kg
PW-RAW panel 21x76/30x3 6100x1000 mm, steel S235	194 kg
PW-RAW panel 21x76/30x3 6100x1000 mm SR4, steel S235	194 kg
PW-RAW panel 34x38/25x2 6100x1000 mm, steel S235	96 kg
PW-RAW panel 34x38/25x2 6100x1000 mm SR4, steel S235	96 kg
PW-RAW panel 34x38/25x3 6100x1000 mm, steel S235	121 kg
PW-RAW panel 34x38/25x3 6100x1000 mm SR4, steel S235	121 kg
PW-RAW panel 34x38/30x2 6100x1000 mm, steel S235	108 kg
PW-RAW panel 34x38/30x2 6100x1000 mm SR4, steel S235	108 kg
PW-RAW panel 34x38/30x3 6100x1000 mm, steel S235	137 kg
PW-RAW panel 34x38/30x3 6100x1000 mm SR4, steel S235	137 kg
PW-RAW panel 34x38/40x2 6100x1000 mm, steel S235	140 kg
PW-RAW panel 34x38/40x2 6100x1000 mm SR4, steel S235	140 kg
PW-RAW panel 34x38/40x3 6100x1000 mm, steel S235	180 kg
PW-RAW panel 34x38/40x3 6100x1000 mm SR4, steel S235	180 kg
PW-RAW panel 34x38/40x4 6100x1000 mm, steel S235	258 kg
PW-RAW panel 34x38/40x4 6100x1000 mm SR4, steel S235	258 kg
PW-RAW panel 34x38/50x3 6100x1000 mm, steel S235	243 kg
PW-RAW panel 34x38/50x3 6100x1000 mm SR4, steel S235	243 kg
PW-RAW panel 34x38/50x4 6100x1000 mm, steel S235	315 kg
PW-RAW panel 34x38/50x4 6100x1000 mm SR4, steel S235	315 kg
PW-RAW panel 34x38/60x4 6100x1000 mm, steel S235	375 kg
PW-RAW panel 34x38/80x5 6100x1000 mm, steel S235	610 kg
PW-RAW panel 34x76/25x2 6100x1000 mm, steel S235	84 kg
PW-RAW panel 34x76/25x2 6100x1000 mm SR4, steel S235	84 kg
PW-RAW panel 34x76/25x3 6100x1000 mm, steel S235	110 kg
PW-RAW panel 34x76/25x3 6100x1000 mm SR4, steel S235	110 kg
PW-RAW panel 34x76/30x2 6100x1000 mm, steel S235	95 kg
PW-RAW panel 34x76/30x2 6100x1000 mm SR4, steel S235	95 kg
PW-RAW panel 34x76/30x3 6100x1000 mm, steel S235	127 kg
PW-RAW panel 34x76/30x3 6100x1000 mm SR4, steel S235	127 kg
PW-RAW panel 34x76/40x2 6100x1000 mm, steel S235	129 kg
PW-RAW panel 34x76/40x2 6100x1000 mm SR4, steel S235	129 kg
PW-RAW panel 34x76/40x3 6100x1000 mm, steel S235	166 kg
PW-RAW panel 34x76/40x3 6100x1000 mm SR4, steel S235	166 kg

PW-RAW panel 34x76/50x3 6100x1000 mm, steel S235	220 kg
PW-RAW panel 34x76/50x3 6100x1000 mm SR4, steel S235	220 kg
PW-RAW panel 34x76/60x4 6100x1000 mm, steel S235	363 kg
Press welded panels Hot-dip galvanized (HDG)	
PW-ZN panel 16x76/25x3 6100x1000 mm, steel S235	253 kg
PW-ZN panel 16x76/25x3 6100x1000 mm SR4, steel S235	253 kg
PW-ZN panel 16x76/30x2 6100x1000 mm, steel S235	198 kg
PW-ZN panel 16x76/30x2 6100x1000 mm SR4, steel S235	198 kg
PW-ZN panel 16x76/30x3 6100x1000 mm, steel S235	275 kg
PW-ZN panel 16x76/30x3 6100x1000 mm SR4, steel S235	275 kg
PW-ZN panel 21x76/25x2 6100x1000 mm, steel S235	137 kg
PW-ZN panel 21x76/25x2 6100x1000 mm SR4, steel S235	137 kg
PW-ZN panel 21x76/25x3 6100x1000 mm, steel S235	198 kg
PW-ZN panel 21x76/25x3 6100x1000 mm SR4, steel S235	198 kg
PW-ZN panel 21x76/30x3 6100x1000 mm, steel S235	210 kg
PW-ZN panel 21x76/30x3 6100x1000 mm SR4, steel S235	210 kg
PW-ZN panel 34x38/25x2 6100x1000 mm, steel S235	105 kg
PW-ZN panel 34x38/25x2 6100x1000 mm SR4, steel S235	105 kg
PW-ZN panel 34x38/25x3 6100x1000 mm, steel S235	133 kg
PW-ZN panel 34x38/25x3 6100x1000 mm SR4, steel S235	133 kg
PW-ZN panel 34x38/25x4 6100x1000 mm, steel S235	184 kg
PW-ZN panel 34x38/25x4 6100x1000 mm SR4, steel S235	184 kg
PW-ZN panel 34x38/30x2 6100x1000 mm, steel S235	118 kg
PW-ZN panel 34x38/30x2 6100x1000 mm SR4, steel S235	118 kg
PW-ZN panel 34x38/30x3 6100x1000 mm, steel S235	150 kg
PW-ZN panel 34x38/30x3 6100x1000 mm SR4, steel S235	150 kg
PW-ZN panel 34x38/30x4 6100x1000 mm, steel S235	217 kg
PW-ZN panel 34x38/30x4 6100x1000 mm SR4, steel S235	217 kg
PW-ZN panel 34x38/40x3 6100x1000 mm, steel S235	198 kg
PW-ZN panel 34x38/40x3 6100x1000 mm SR4, steel S235	198 kg
PW-ZN panel 34x38/40x4 6100x1000 mm, steel S235	283 kg
PW-ZN panel 34x38/40x4 6100x1000 mm SR4, steel S235	283 kg
PW-ZN panel 34x38/50x3 6100x1000 mm, steel S235	267 kg
PW-ZN panel 34x38/50x3 6100x1000 mm SR4, steel S235	267 kg
PW-ZN panel 34x38/50x4 6100x1000 mm, steel S235	346 kg
PW-ZN panel 34x38/50x4 6100x1000 mm SR4, steel S235	346 kg
PW-ZN panel 34x38/60x4 6100x1000 mm, steel S235	412 kg
PW-ZN panel 34x38/25x3 1000x1000 mm, steel S235	18 kg
PW-ZN panel 34x38/30x2 1000x1000 mm, steel S235	16 kg
PW-ZN panel 34x38/30x3 1000x1000 mm, steel S235	20 kg
PW-ZN panel 34x38/40x3 1000x1000 mm, steel S235	28 kg
PW-ZN panel 34x38/40x4 1000x1000 mm, steel S235	40 kg
PW-ZN panel 34x38/50x3 1000x1000 mm, steel S235	30 kg
PW-ZN panel 34x38/50x4 1000x1000 mm, steel S235	53 kg
PW-ZN panel 34x76/25x2 6100x1000 mm, steel S235	92 kg
PW-ZN panel 34x76/25x2 6100x1000 mm SR4, steel S235	92 kg
PW-ZN panel 34x76/25x3 6100x1000 mm, steel S235	132 kg

PW-ZN panel 34x76/25x3 6100x1000 mm SR4, steel S235	132 kg
PW-ZN panel 34x76/30x2 6100x1000 mm, steel S235	104 kg
PW-ZN panel 34x76/30x2 6100x1000 mm SR4, steel S235	104 kg
PW-ZN panel 34x76/30x3 6100x1000 mm, steel S235	135 kg
PW-ZN panel 34x76/30x3 6100x1000 mm SR4, steel S235	135 kg
PW-ZN panel 34x76/40x2 6100x1000 mm, steel S235	141 kg
PW-ZN panel 34x76/40x2 6100x1000 mm SR4, steel S235	141 kg
PW-ZN panel 34x76/40x3 6100x1000 mm, steel S235	182 kg
PW-ZN panel 34x76/40x3 6100x1000 mm SR4, steel S235	182 kg
PW-ZN panel 34x76/50x3 6100x1000 mm, steel S235	242 kg
PW-ZN panel 34x76/50x3 6100x1000 mm SR4, steel S235	242 kg
Press welded panels stainless steel	
PW-RAW panel 34x76/30x2 3000x1000 mm, steel AISI304	50 kg
PW-RAW panel 34x76/30x2 3000x1000 mm, steel AISI316	50 kg
PW-RAW panel 34x76/30x3 3000x1000 mm, steel AISI304	60 kg
PW-RAW panel 34x76/30x3 3000x1000 mm, steel AISI316	60 kg
Press-locked panels mild steel	
PL-RAW panel 33x11/30x3 3000x1000 mm, steel S235	97 kg
PL-RAW panel 33x11/30x3 3000x1000 mm, Half Moon SRX6, steel S235	97 kg

* **SR4, SRX6** -Panels with anti slip protection.

* **All panels S235 steel are also available for production in S355 and stainless steel.**

* **All panels can be produced with a steel thickness - 2, 3, 4, 5, 6 mm.**