

Now in stock Metal-Disain OÜ

NAME	kg. / 1 pcs.	Weight per m²
Press welded panels mild steel		
PW-RAW panel 16x38/30x3 6100x1000 mm, steel S235	260 kg	42,70 kg
PW-RAW panel 16x38/30x3 6100x1000 mm SR4, steel S235	260 kg	42,70 kg
PW-RAW panel 16x76/25x3 6100x1000 mm, steel S235	210 kg	34,50 kg
PW-RAW panel 16x76/25x3 6100x1000 mm SR4, steel S235	210 kg	34,50 kg
PW-RAW panel 16x76/30x2 6100x1000 mm, steel S235	180 kg	29,60 kg
PW-RAW panel 16x76/30x2 6100x1000 mm SR4, steel S235	180 kg	29,60 kg
PW-RAW panel 16x76/30x3 6100x1000 mm, steel S235	241 kg	39,60 kg
PW-RAW panel 16x76/30x3 6100x1000 mm SR4, steel S235	241 kg	39,60 kg
PW-RAW panel 21x76/30x2 6100x1000 mm, steel S235	140 kg	23,00 kg
PW-RAW panel 21x76/30x2 6100x1000 mm SR4, steel S235	140 kg	23,00 kg
PW-RAW panel 21x76/30x3 6100x1000 mm, steel S235	190 kg	31,20 kg
PW-RAW panel 21x76/30x3 6100x1000 mm SR4, steel S235	190 kg	31,20 kg
PW-RAW panel 34x38/25x2 6100x1000 mm, steel S235	91 kg	15,00 kg
PW-RAW panel 34x38/25x2 6100x1000 mm SR4, steel S235	91 kg	15,00 kg
PW-RAW panel 34x38/25x3 6100x1000 mm, steel S235	121 kg	19,90 kg
PW-RAW panel 34x38/25x3 6100x1000 mm SR4, steel S235	121 kg	19,90 kg
PW-RAW panel 34x38/30x2 6100x1000 mm, steel S235	108 kg	17,80 kg
PW-RAW panel 34x38/30x2 6100x1000 mm SR4, steel S235	108 kg	17,80 kg
PW-RAW panel 34x38/30x3 6100x1000 mm, steel S235	137 kg	22,50 kg
PW-RAW panel 34x38/30x3 6100x1000 mm SR4, steel S235	137 kg	22,50 kg
PW-RAW panel 34x38/40x2 6100x1000 mm, steel S235	134 kg	22,00 kg
PW-RAW panel 34x38/40x2 6100x1000 mm SR4, steel S235	134 kg	22,00 kg
PW-RAW panel 34x38/40x3 6100x1000 mm, steel S235	180 kg	29,60 kg
PW-RAW panel 34x38/40x3 6100x1000 mm SR4, steel S235	180 kg	29,60 kg
PW-RAW panel 34x38/40x4 6100x1000 mm, steel S235	245 kg	40,20 kg
PW-RAW panel 34x38/40x4 6100x1000 mm SR4, steel S235	245 kg	40,20 kg
PW-RAW panel 34x38/50x3 6100x1000 mm, steel S235	220 kg	36,10 kg
PW-RAW panel 34x38/50x3 6100x1000 mm SR4, steel S235	220 kg	36,10 kg
PW-RAW panel 34x38/50x4 6100x1000 mm, steel S235	315 kg	51,70 kg
PW-RAW panel 34x38/50x4 6100x1000 mm SR4, steel S235	315 kg	51,70 kg
PW-RAW panel 34x38/60x4 6100x1000 mm, steel S235	370 kg	60,70 kg
PW-RAW panel 34x38/80x5 6100x1000 mm, steel S235	610 kg	100,00 kg
PW-RAW panel 34x76/25x2 6100x1000 mm, steel S235	84 kg	13,80 kg
PW-RAW panel 34x76/25x2 6100x1000 mm SR4, steel S235	84 kg	13,80 kg
PW-RAW panel 34x76/25x3 6100x1000 mm, steel S235	110 kg	18,10 kg
PW-RAW panel 34x76/25x3 6100x1000 mm SR4, steel S235	110 kg	18,10 kg
PW-RAW panel 34x76/30x2 6100x1000 mm, steel S235	95 kg	15,60 kg
PW-RAW panel 34x76/30x2 6100x1000 mm SR4, steel S235	95 kg	15,60 kg
PW-RAW panel 34x76/30x3 6100x1000 mm, steel S235	127 kg	20,90 kg
PW-RAW panel 34x76/30x3 6100x1000 mm SR4, steel S235	127 kg	20,90 kg
PW-RAW panel 34x76/40x2 6100x1000 mm, steel S235	129 kg	21,20 kg
PW-RAW panel 34x76/40x2 6100x1000 mm SR4, steel S235	129 kg	21,20 kg
PW-RAW panel 34x76/40x3 6100x1000 mm, steel S235	166 kg	27,30 kg

NAME	kg. / 1 pcs.	Weight per m ²
PW-RAW panel 34x76/40x3 6100x1000 mm SR4, steel S235	166 kg	27,30 kg
PW-RAW panel 34x76/50x3 6100x1000 mm, steel S235	220 kg	36,10 kg
PW-RAW panel 34x76/50x3 6100x1000 mm SR4, steel S235	220 kg	36,10 kg
PW-RAW panel 34x76/60x4 6100x1000 mm, steel S235	350 kg	57,40 kg
Press-locked panels mild steel		
PL-RAW panel 33x11/30x3 3000x1000 mm, steel S235	97 kg	32,40 kg
PL-RAW panel 33x11/30x3 3000x1000 mm, Half Moon SRX6, steel S235	97 kg	32,40 kg
Press welded panels Hot-dip galvanized (HDG)		
PW-ZN panel 16x76/25x3 6100x1000 mm, steel S235	253 kg	41,50 kg
PW-ZN panel 16x76/25x3 6100x1000 mm SR4, steel S235	253 kg	41,50 kg
PW-ZN panel 16x76/30x2 6100x1000 mm, steel S235	201 kg	33,00 kg
PW-ZN panel 16x76/30x2 6100x1000 mm SR4, steel S235	201 kg	33,00 kg
PW-ZN panel 16x76/30x3 6100x1000 mm, steel S235	276 kg	45,30 kg
PW-ZN panel 16x76/30x3 6100x1000 mm SR4, steel S235	276 kg	45,30 kg
PW-ZN panel 21x76/25x2 6100x1000 mm, steel S235	137 kg	22,50 kg
PW-ZN panel 21x76/25x2 6100x1000 mm SR4, steel S235	137 kg	22,50 kg
PW-ZN panel 21x76/25x3 6100x1000 mm, steel S235	190 kg	31,20 kg
PW-ZN panel 21x76/25x3 6100x1000 mm SR4, steel S235	190 kg	31,20 kg
PW-ZN panel 21x76/30x3 6100x1000 mm, steel S235	216 kg	35,50 kg
PW-ZN panel 21x76/30x3 6100x1000 mm SR4, steel S235	216 kg	35,50 kg
PW-ZN panel 34x38/25x2 6100x1000 mm, steel S235	105 kg	17,30 kg
PW-ZN panel 34x38/25x2 6100x1000 mm SR4, steel S235	105 kg	17,30 kg
PW-ZN panel 34x38/25x3 6100x1000 mm, steel S235	138 kg	22,70 kg
PW-ZN panel 34x38/25x3 6100x1000 mm SR4, steel S235	138 kg	22,70 kg
PW-ZN panel 34x38/25x4 6100x1000 mm, steel S235	186 kg	30,50 kg
PW-ZN panel 34x38/25x4 6100x1000 mm SR4, steel S235	186 kg	30,50 kg
PW-ZN panel 34x38/30x2 6100x1000 mm, steel S235	120 kg	19,70 kg
PW-ZN panel 34x38/30x2 6100x1000 mm SR4, steel S235	120 kg	19,70 kg
PW-ZN panel 34x38/30x3 6100x1000 mm, steel S235	157 kg	25,80 kg
PW-ZN panel 34x38/30x3 6100x1000 mm SR4, steel S235	157 kg	25,80 kg
PW-ZN panel 34x38/30x4 6100x1000 mm, steel S235	212 kg	34,80 kg
PW-ZN panel 34x38/30x4 6100x1000 mm SR4, steel S235	212 kg	34,80 kg
PW-ZN panel 34x38/40x3 6100x1000 mm, steel S235	203 kg	33,30 kg
PW-ZN panel 34x38/40x3 6100x1000 mm SR4, steel S235	203 kg	33,30 kg
PW-ZN panel 34x38/40x4 6100x1000 mm, steel S235	283 kg	46,40 kg
PW-ZN panel 34x38/40x4 6100x1000 mm SR4, steel S235	283 kg	46,40 kg
PW-ZN panel 34x38/50x3 6100x1000 mm, steel S235	250 kg	41,00 kg
PW-ZN panel 34x38/50x3 6100x1000 mm SR4, steel S235	250 kg	41,00 kg
PW-ZN panel 34x38/50x4 6100x1000 mm, steel S235	346 kg	56,80 kg
PW-ZN panel 34x38/50x4 6100x1000 mm SR4, steel S235	346 kg	56,80 kg
PW-ZN panel 34x38/60x4 6100x1000 mm, steel S235	412 kg	67,60 kg
PW-ZN panel 34x38/25x3 1000x1000 mm, steel S235	22 kg	22,00 kg
PW-ZN panel 34x38/30x2 1000x1000 mm, steel S235	20 kg	20,00 kg
PW-ZN panel 34x38/30x3 1000x1000 mm, steel S235	26 kg	26,00 kg
PW-ZN panel 34x38/40x3 1000x1000 mm, steel S235	33 kg	33,00 kg

NAME	kg. / 1 pcs.	Weight per m ²
PW-ZN panel 34x38/40x4 1000x1000 mm, steel S235	46 kg	46,00 kg
PW-ZN panel 34x38/50x3 1000x1000 mm, steel S235	41 kg	41,00 kg
PW-ZN panel 34x38/50x4 1000x1000 mm, steel S235	57 kg	57,00 kg
PW-ZN panel 34x76/25x2 6100x1000 mm, steel S235	92 kg	15,10 kg
PW-ZN panel 34x76/25x2 6100x1000 mm SR4, steel S235	92 kg	15,10 kg
PW-ZN panel 34x76/25x3 6100x1000 mm, steel S235	125 kg	20,50 kg
PW-ZN panel 34x76/25x3 6100x1000 mm SR4, steel S235	125 kg	20,50 kg
PW-ZN panel 34x76/30x2 6100x1000 mm, steel S235	106 kg	17,40 kg
PW-ZN panel 34x76/30x2 6100x1000 mm SR4, steel S235	106 kg	17,40 kg
PW-ZN panel 34x76/30x3 6100x1000 mm, steel S235	143 kg	23,50 kg
PW-ZN panel 34x76/30x3 6100x1000 mm SR4, steel S235	143 kg	23,50 kg
PW-ZN panel 34x76/40x2 6100x1000 mm, steel S235	141 kg	23,20 kg
PW-ZN panel 34x76/40x2 6100x1000 mm SR4, steel S235	141 kg	23,20 kg
PW-ZN panel 34x76/40x3 6100x1000 mm, steel S235	190 kg	31,20 kg
PW-ZN panel 34x76/40x3 6100x1000 mm SR4, steel S235	190 kg	31,20 kg
PW-ZN panel 34x76/50x3 6100x1000 mm, steel S235	240 kg	39,40 kg
PW-ZN panel 34x76/50x3 6100x1000 mm SR4, steel S235	240 kg	39,40 kg
Press welded panels stainless steel		
PW-RAW panel 34x76/30x2 3000x1000 mm, steel AISI304	50 kg	16,70 kg
PW-RAW panel 34x76/30x2 3000x1000 mm, steel AISI316	50 kg	16,70 kg
PW-RAW panel 34x76/30x3 3000x1000 mm, steel AISI304	62 kg	20,70 kg
PW-RAW panel 34x76/30x3 3000x1000 mm, steel AISI316	62 kg	20,70 kg

* SR4, SRX6 - Panels with anti slip protection.

* All panels S235 steel are also available for production in S355 and stainless steel.

* All panels can be produced with a steel thickness - 2, 3, 4, 5, 6 mm.